



# PU CLEANER

CLEANER FOR FOAM AND GLUES

## PU CLEANER Cleaner for foam and glues

|                       |   |
|-----------------------|---|
| PRODUCT               | PU Cleaner has been developed to clean quickly and safely the gun for polyurethane foam and to remove the excessive fresh product.  |
| COMPOSITION           | <ul style="list-style-type: none"> <li>· Base: acetone.</li> <li>· Consistency: fluid.</li> <li>· Aspect: transparent.</li> </ul>   |
| PACKAGING AND STORAGE | <ul style="list-style-type: none"> <li>· Spray can of 150 and 500 ml</li> <li>· Keep in the original packaging, in a dry and fresh place, with temperatures between +5 °C and +25 °C. To be used within 24 months. <b>N.B:</b> For conservation over this period, verify if the product's consistency and the essential characteristics for the application are appropriate.</li> </ul>   |
| FIELDS OF APPLICATION | <ul style="list-style-type: none"> <li>· Internal and external cleaning of the polyurethane foam guns.</li> <li>· Remove the polyurethane foam just applied.</li> <li>· Clean the spray can's valve for a further second use.</li> </ul>  |
| APPLICATION METHOD    | <ul style="list-style-type: none"> <li>· For the cleaning of the spray can's valve and of the gun's supply hose, and to remove the just applied foam, insert the red spout in the aerosol valve.</li> <li>· For the cleaning of the spray can's valve use the cleaner as aerosol spray, spraying it in the valve of the foam spray can.</li> <li>· To clean the gun, remove the red spout and screw the gun on the cleaner's spray can. Pull the trigger of the gun for a few seconds until the spraying of clean liquid.</li> <li>· To remove the fresh foam, spray the cleaner on the foam's spots and remove the residues with a dry towel.</li> </ul> |
| WARNINGS              | <ul style="list-style-type: none"> <li>· Do not expose to frost.</li> <li>· Keep in a ventilated place. The product is highly inflammable, keep it away from heat sources and temperatures over +50 °C.</li> <li>· Do not breath the gases.</li> <li>· Do not drill, even after the use.</li> <li>· Protect from UV rays.</li> <li>· Do not spray on free flames or incandescent objects.</li> <li>· Do not smoke.</li> <li>· Keep out of the reach of children.</li> </ul>   |

All the indications provided in this technical data sheet are purely approximate and not binding for legal purpose. The data listed has been gathered from laboratory tests and it hence follows that in practical applications on building sites the final characteristics of the products may be subject to substantial variations depending on the meteorological conditions and the installation. The user must always check suitability of the product for its specific use, undertaking all liability implicit in and deriving from use of the product, as well as comply with all methods and instructions for use generally referable to "workmanlike" execution. Edilteco S.p.A. reserves the right to change the contents of this mechanical data sheet on its final judgements. The spreading of this data sheet through any media, supersedes and cancels the validity of any other technical data sheet previously published.



Thermal Insulation & Chemicals Division

DS PU CLEANER . Rev 10/2018 . GB



Edilteco S.p.A. Via dell'Industria, 710 . 41038 San Felice sul Panaro (MO) Italy  
Ph. +39 0535 82161 . Fax +39 0535 82970 . [www.edilteco.com](http://www.edilteco.com) | [info@edilteco.com](mailto:info@edilteco.com)

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= ISO 9001 =